



# Japan Fisheries Resource Conservation Association

Towa-Akashi Bldg.  
1-1 Akashi-cho, Chuo-ku, Tokyo, 104-0044, Japan  
Phone: +81-3-6680-4277 Fax: +81-3-6680-4128  
E-mail: kensa-jfrca@mbs.sphere.ne.jp

## EXAMINATION CERTIFICATE

No. OS-151007-2  
Issued: Oct. 16, 2015

Received: Oct. 7, 2015  
Requested by: MR. AKIRA NAKAGAWA

Address: 2-20-1, Sugi, Hirakata-shi, Osaka, 573-0117, Japan  
Tel: +81-72-896-1151 Fax: +81-72-896-1651  
E-mail: info@koibest.com

This is to certify that the samples taken by our authorized inspector have been duly examined by our laboratory and the results are follows.

**Materials:** Species; Koi Carp / *Cyprinus carpio koi*  
Sampling date; Oct. 12, 2015  
Specimens; Gill  
Number of sample(s); 1  
Note; tested fishes were maintained in aquaria at a water temperature of 23 degrees C.


**Methods:** Detection of KHV genomic DNA was performed using Polymerase Chain Reaction according to the method of Yuasa *et al.* (2005).  
Primer Set; Corrected KHV *Sph* I-5 primer set (Yuasa *et al.*, 2005)

**Results:** KHV specific amplicon was not detected when genomic DNA from specimens were used as template.


KHV NEGATIVE

### Remarks

Sample #	Body length (range)
OS1007-2	15.8cm

  
Mr. Motoyuki Hiratsuka; Inspector

Authorized by

  
Dr. Makoto Iwashita  
Japan Fisheries Resource Conservation Association  
(Official stamp)